

Sable



INSTALLATION & MAINTENANCE


- ✓ INSTALLATION GUIDELINES AVAILABLE: REFER TO NWFA GUIDE
- CAN WOOD BE NAILED: YES
- CAN WOOD BE GLUED: YES
- ✓ JOINT DESIGN: TONGUE & GROOVE

To Order


- 888 735 3370
- ## Europeanco.com


The European Wood Collection is made up of hand-selected European French Oak top layers. Our Engineered wood is available in a variety of elegant traditional patterns including Herringbone and timeless Chevron. The Engineered floors are suitable for different climates. This specific wood is made to expand and contract depending on humidity and temperature and is moisture resistant. The floors are constructed of layers including a thick European French Oak-top layer, and our multi ply core™ premium substrate suitable for use with radiant and underfloor heating systems. All of our Engineered floors are FSC Certified with UV oil finish for easy maintenance and preservation of your hardwood floors.

OPTIONS









Specs

Predominant Color: Brown / Pink Tones

Origin: Europe

VENEER: THICKNESS:

• 3MM • 5/8" 4MM 3/4"

FINISH: WIDTH:

• 7.5" •WIRE BRUSHING BRAND SAWN • 8.5" • 9.5"

• 10.5" **EDGES:**

•BUSH HAMMERED

SQUARE







SMOOTH, EASED EDGES*



Lumiere



INSTALLATION & MAINTENANCE

- ✓ INSTALLATION GUIDELINES AVAILABLE: REFER TO NWFA GUIDE
- CAN WOOD BE NAILED: YES
- CAN WOOD BE GLUED: YES
- ✓ JOINT DESIGN: TONGUE & GROOVE


To Order

- 888 735 3370
- ## Europeanco.com


The European Wood Collection is made up of hand-selected European French Oak top layers. Our Engineered wood is available in a variety of elegant traditional patterns including Herringbone and timeless Chevron. The Engineered floors are suitable for different climates. This specific wood is made to expand and contract depending on humidity and temperature and is moisture resistant. The floors are constructed of layers including a thick European French Oak-top layer, and our multi ply core™ premium substrate suitable for use with radiant and underfloor heating systems. All of our Engineered floors are FSC Certified with UV oil finish for easy maintenance and preservation of your hardwood floors.


OPTIONS

PLANK









Specs

Predominant Color: Brown / Dark Brown Tones

Origin: Europe

VENEER: THICKNESS:

• 3MM • 5/8" 4MM 3/4"

FINISH: WIDTH:

• 7.5" •WIRE BRUSHING

• 8.5" BRAND SAWN

• 9.5"

• 10.5" **EDGES:**

•BUSH HAMMERED

SQUARE







SMOOTH, EASED EDGES*



Natural



INSTALLATION & MAINTENANCE


- ✓ INSTALLATION GUIDELINES AVAILABLE: REFER TO NWFA GUIDE
- CAN WOOD BE NAILED: YES
- CAN WOOD BE GLUED: YES
- ✓ JOINT DESIGN: TONGUE & GROOVE


To Order


- **888** 735 3370
- Europeanco.com

The European Wood Collection is made up of hand-selected European French Oak top layers. Our Engineered wood is available in a variety of elegant traditional patterns including Herringbone and timeless Chevron. The Engineered floors are suitable for different climates. This specific wood is made to expand and contract depending on humidity and temperature and is moisture resistant. The floors are constructed of layers including a thick European French Oak-top layer, and our multi ply core™ premium substrate suitable for use with radiant and underfloor heating systems. All of our Engineered floors are FSC Certified with UV oil finish for easy maintenance and preservation of your hardwood floors.

OPTIONS







Specs

Predominant Color: Tan / Beige Tones

Origin: Europe

VENEER: THICKNESS:

• 3MM • 5/8" • 4MM • 3/4"

FINISH: WIDTH:

•WIRE BRUSHING • 7.5" •BRAND SAWN • 8.5" • 9.5"

EDGES: • 10.5"

•BUSH HAMMERED

SQUARE







SMOOTH, EASED EDGES*



Leger



INSTALLATION & MAINTENANCE


- ✓ INSTALLATION GUIDELINES AVAILABLE: REFER TO NWFA GUIDE
- CAN WOOD BE NAILED: YES
- CAN WOOD BE GLUED: YES
- ✓ JOINT DESIGN: TONGUE & GROOVE

To Order


- 888 735 3370
- ## Europeanco.com


The European Wood Collection is made up of hand-selected European French Oak top layers. Our Engineered wood is available in a variety of elegant traditional patterns including Herringbone and timeless Chevron. The Engineered floors are suitable for different climates. This specific wood is made to expand and contract depending on humidity and temperature and is moisture resistant. The floors are constructed of layers including a thick European French Oak-top layer, and our multi ply core™ premium substrate suitable for use with radiant and underfloor heating systems. All of our Engineered floors are FSC Certified with UV oil finish for easy maintenance and preservation of your hardwood floors.

OPTIONS









Specs

Predominant Color: Brown / Yellow Tones

Origin: Europe

VENEER: THICKNESS:

• 3MM • 5/8" 4MM 3/4"

FINISH: WIDTH:


• 7.5" •WIRE BRUSHING BRAND SAWN • 8.5" • 9.5"

• 10.5" **EDGES:**

•BUSH HAMMERED

SQUARE







SMOOTH, EASED EDGES*



Cafe



INSTALLATION & MAINTENANCE


- ✓ INSTALLATION GUIDELINES AVAILABLE: REFER TO NWFA GUIDE
- CAN WOOD BE NAILED: YES
- CAN WOOD BE GLUED: YES
- ✓ JOINT DESIGN: TONGUE & GROOVE

To Order


- 888 735 3370
- Europeanco.com


The European Wood Collection is made up of hand-selected European French Oak top layers. Our Engineered wood is available in a variety of elegant traditional patterns including Herringbone and timeless Chevron. The Engineered floors are suitable for different climates. This specific wood is made to expand and contract depending on humidity and temperature and is moisture resistant. The floors are constructed of layers including a thick European French Oak-top layer, and our multi ply core™ premium substrate suitable for use with radiant and underfloor heating systems. All of our Engineered floors are FSC Certified with UV oil finish for easy maintenance and preservation of your hardwood floors.

OPTIONS









Specs

Predominant Color: Brown / Grey-Brown Tones

Origin: Europe

VENEER: THICKNESS:

• 3MM • 5/8" • 4MM • 3/4"

FINISH: WIDTH:

•WIRE BRUSHING • 7.5" •BRAND SAWN • 8.5" • 9.5"

EDGES: • 10.5"

•BUSH HAMMERED

SQUARE







SMOOTH, EASED EDGES*



Turner



INSTALLATION & MAINTENANCE


- ✓ INSTALLATION GUIDELINES AVAILABLE: REFER TO NWFA GUIDE
- CAN WOOD BE NAILED: YES
- CAN WOOD BE GLUED: YES
- ✓ JOINT DESIGN: TONGUE & GROOVE

To Order


- 888 735 3370
- Europeanco.com


The European Wood Collection is made up of hand-selected European French Oak top layers. Our Engineered wood is available in a variety of elegant traditional patterns including Herringbone and timeless Chevron. The Engineered floors are suitable for different climates. This specific wood is made to expand and contract depending on humidity and temperature and is moisture resistant. The floors are constructed of layers including a thick European French Oak-top layer, and our multi ply core™ premium substrate suitable for use with radiant and underfloor heating systems. All of our Engineered floors are FSC Certified with UV oil finish for easy maintenance and preservation of your hardwood floors.

OPTIONS









Specs

Predominant Color: Beige / Neutral Tones

Origin: Europe

VENEER: THICKNESS:

• 3MM • 5/8" • 4MM • 3/4"

FINISH: WIDTH:

•WIRE BRUSHING • 7.5" •BRAND SAWN • 8.5" • 9.5"

EDGES: • 10.5"

•BUSH HAMMERED

SQUARE







SMOOTH, EASED EDGES*



Davenport



INSTALLATION & MAINTENANCE


- ✓ INSTALLATION GUIDELINES AVAILABLE: REFER TO NWFA GUIDE
- CAN WOOD BE NAILED: YES
- CAN WOOD BE GLUED: YES
- ✓ JOINT DESIGN: TONGUE & GROOVE

To Order


- 888 735 3370
- Europeanco.com


The European Wood Collection is made up of hand-selected European French Oak top layers. Our Engineered wood is available in a variety of elegant traditional patterns including Herringbone and timeless Chevron. The Engineered floors are suitable for different climates. This specific wood is made to expand and contract depending on humidity and temperature and is moisture resistant. The floors are constructed of layers including a thick European French Oak-top layer, and our multi ply core™ premium substrate suitable for use with radiant and underfloor heating systems. All of our Engineered floors are FSC Certified with UV oil finish for easy maintenance and preservation of your hardwood floors.

OPTIONS









Specs

Predominant Color: Brown / Light Brown Tones

Origin: Europe

VENEER: THICKNESS:

- 3MM 5/8" • 4MM • 3/4"
- FINISH: WIDTH:
- •WIRE BRUSHING 7.5" •BRAND SAWN • 8.5" • 9.5"
- **EDGES:** 10.5"
- •BUSH HAMMERED
- SOUARE







SMOOTH, EASED EDGES*



Blanc de Chaux



INSTALLATION & MAINTENANCE


- ✓ INSTALLATION GUIDELINES AVAILABLE: REFER TO NWFA GUIDE
- CAN WOOD BE NAILED: YES
- CAN WOOD BE GLUED: YES
- ✓ JOINT DESIGN: TONGUE & GROOVE


To Order


- **888** 735 3370
- Europeanco.com

The European Wood Collection is made up of hand-selected European French Oak top layers. Our Engineered wood is available in a variety of elegant traditional patterns including Herringbone and timeless Chevron. The Engineered floors are suitable for different climates. This specific wood is made to expand and contract depending on humidity and temperature and is moisture resistant. The floors are constructed of layers including a thick European French Oak-top layer, and our multi ply core™ premium substrate suitable for use with radiant and underfloor heating systems. All of our Engineered floors are FSC Certified with UV oil finish for easy maintenance and preservation of your hardwood floors.

OPTIONS







Specs

Predominant Color: Beige / Light Tan Tones

• 10.5"

Origin: Europe

VENEER: THICKNESS:

• 3MM • 5/8" • 4MM • 3/4"

FINISH: WIDTH:

•WIRE BRUSHING • 7.5" •BRAND SAWN • 8.5" • 9.5"

EDGES:

•BUSH HAMMERED

• SQUARE







SMOOTH, EASED EDGES*



Gris Clair



INSTALLATION & MAINTENANCE


- ✓ INSTALLATION GUIDELINES AVAILABLE: REFER TO NWFA GUIDE
- CAN WOOD BE NAILED: YES
- CAN WOOD BE GLUED: YES
- ✓ JOINT DESIGN: TONGUE & GROOVE

To Order


- 888 735 3370
- Europeanco.com


The European Wood Collection is made up of hand-selected European French Oak top layers. Our Engineered wood is available in a variety of elegant traditional patterns including Herringbone and timeless Chevron. The Engineered floors are suitable for different climates. This specific wood is made to expand and contract depending on humidity and temperature and is moisture resistant. The floors are constructed of layers including a thick European French Oak-top layer, and our multi ply core™ premium substrate suitable for use with radiant and underfloor heating systems. All of our Engineered floors are FSC Certified with UV oil finish for easy maintenance and preservation of your hardwood floors.

OPTIONS









Specs

Predominant Color: Beige / Grey Tones

Origin: Europe

VENEER: THICKNESS:

• 3MM • 5/8" • 4MM • 3/4"

FINISH: WIDTH:

•WIRE BRUSHING • 7.5" •BRAND SAWN • 8.5" • 9.5"

EDGES: • 10.5"

•BUSH HAMMERED

• SQUARE







SMOOTH, EASED EDGES*



Brun Fume



INSTALLATION & MAINTENANCE


- ✓ INSTALLATION GUIDELINES AVAILABLE: REFER TO NWFA GUIDE
- CAN WOOD BE NAILED: YES
- CAN WOOD BE GLUED: YES
- ✓ JOINT DESIGN: TONGUE & GROOVE


To Order


- 888 735 3370
- Europeanco.com

The European Wood Collection is made up of hand-selected European French Oak top layers. Our Engineered wood is available in a variety of elegant traditional patterns including Herringbone and timeless Chevron. The Engineered floors are suitable for different climates. This specific wood is made to expand and contract depending on humidity and temperature and is moisture resistant. The floors are constructed of layers including a thick European French Oak-top layer, and our multi ply core™ premium substrate suitable for use with radiant and underfloor heating systems. All of our Engineered floors are FSC Certified with UV oil finish for easy maintenance and preservation of your hardwood floors.

OPTIONS







Specs

Predominant Color: Brown / Honey Tones

Origin: Europe

VENEER: THICKNESS:

• 3MM • 5/8" • 4MM • 3/4"

FINISH: WIDTH:


•WIRE BRUSHING • 7.5" •BRAND SAWN • 8.5" • 9.5"

EDGES: • 10.5"

•BUSH HAMMERED

• SQUARE







SMOOTH, EASED EDGES*



Chateau



INSTALLATION & MAINTENANCE


- ✓ INSTALLATION GUIDELINES AVAILABLE: REFER TO NWFA GUIDE
- CAN WOOD BE NAILED: YES
- CAN WOOD BE GLUED: YES
- ✓ JOINT DESIGN: TONGUE & GROOVE


To Order


- 888 735 3370
- Europeanco.com

The European Wood Collection is made up of hand-selected European French Oak top layers. Our Engineered wood is available in a variety of elegant traditional patterns including Herringbone and timeless Chevron. The Engineered floors are suitable for different climates. This specific wood is made to expand and contract depending on humidity and temperature and is moisture resistant. The floors are constructed of layers including a thick European French Oak-top layer, and our multi ply core™ premium substrate suitable for use with radiant and underfloor heating systems. All of our Engineered floors are FSC Certified with UV oil finish for easy maintenance and preservation of your hardwood floors.

OPTIONS







Specs

Predominant Color: Dark Brown / Medium Brown Tones

Origin: Europe

VENEER: THICKNESS:

- 3MM 5/8" • 4MM • 3/4"
- FINISH: WIDTH:
 •WIRE BRUSHING 7.5"
- •BRAND SAWN 8.5" 9.5"
- **EDGES:** 10.5"
- •BUSH HAMMERED
- SQUARE







SMOOTH, EASED EDGES*



Brun Clair



INSTALLATION & MAINTENANCE


- ✓ INSTALLATION GUIDELINES AVAILABLE: REFER TO NWFA GUIDE
- CAN WOOD BE NAILED: YES
- CAN WOOD BE GLUED: YES
- ✓ JOINT DESIGN: TONGUE & GROOVE


To Order


- 888 735 3370
- ## Europeanco.com

The European Wood Collection is made up of hand-selected European French Oak top layers. Our Engineered wood is available in a variety of elegant traditional patterns including Herringbone and timeless Chevron. The Engineered floors are suitable for different climates. This specific wood is made to expand and contract depending on humidity and temperature and is moisture resistant. The floors are constructed of layers including a thick European French Oak-top layer, and our multi ply core™ premium substrate suitable for use with radiant and underfloor heating systems. All of our Engineered floors are FSC Certified with UV oil finish for easy maintenance and preservation of your hardwood floors.

OPTIONS







Specs

Predominant Color: Brown / Tan Tones

Origin: Europe

VENEER: THICKNESS:

• 3MM • 5/8" 4MM 3/4"

FINISH: WIDTH:

• 7.5" •WIRE BRUSHING BRAND SAWN • 8.5" • 9.5"

• 10.5" **EDGES:**

•BUSH HAMMERED

SQUARE







SMOOTH, EASED EDGES*



Gris Argent



INSTALLATION & MAINTENANCE


- ✓ INSTALLATION GUIDELINES AVAILABLE: REFER TO NWFA GUIDE
- CAN WOOD BE NAILED: YES
- CAN WOOD BE GLUED: YES
- ✓ JOINT DESIGN: TONGUE & GROOVE


To Order


- 888 735 3370
- ## Europeanco.com


The European Wood Collection is made up of hand-selected European French Oak top layers. Our Engineered wood is available in a variety of elegant traditional patterns including Herringbone and timeless Chevron. The Engineered floors are suitable for different climates. This specific wood is made to expand and contract depending on humidity and temperature and is moisture resistant. The floors are constructed of layers including a thick European French Oak-top layer, and our multi ply core™ premium substrate suitable for use with radiant and underfloor heating systems. All of our Engineered floors are FSC Certified with UV oil finish for easy maintenance and preservation of your hardwood floors.

OPTIONS









Specs

Predominant Color: Brown / Tan Tones

Origin: Europe

VENEER: THICKNESS:

• 3MM • 5/8" 4MM 3/4"

FINISH: WIDTH:


• 7.5" •WIRE BRUSHING BRAND SAWN • 8.5" • 9.5"

• 10.5" **EDGES:**

•BUSH HAMMERED

SQUARE







SMOOTH, EASED EDGES*



Blanc



INSTALLATION & MAINTENANCE


- ✓ INSTALLATION GUIDELINES AVAILABLE: REFER TO NWFA GUIDE
- CAN WOOD BE NAILED: YES
- CAN WOOD BE GLUED: YES
- ✓ JOINT DESIGN: TONGUE & GROOVE


To Order


- 888 735 3370
- ## Europeanco.com

The European Wood Collection is made up of hand-selected European French Oak top layers. Our Engineered wood is available in a variety of elegant traditional patterns including Herringbone and timeless Chevron. The Engineered floors are suitable for different climates. This specific wood is made to expand and contract depending on humidity and temperature and is moisture resistant. The floors are constructed of layers including a thick European French Oak-top layer, and our multi ply core™ premium substrate suitable for use with radiant and underfloor heating systems. All of our Engineered floors are FSC Certified with UV oil finish for easy maintenance and preservation of your hardwood floors.

OPTIONS







Specs

Predominant Color: White

Origin: Europe

VENEER: THICKNESS:

• 3MM • 5/8" 4MM 3/4"

FINISH: WIDTH:


• 7.5" •WIRE BRUSHING BRAND SAWN • 8.5" • 9.5"

• 10.5" **EDGES:**

•BUSH HAMMERED

SQUARE







SMOOTH, EASED EDGES*



Noir



INSTALLATION & MAINTENANCE


- ✓ INSTALLATION GUIDELINES AVAILABLE: REFER TO NWFA GUIDE
- CAN WOOD BE NAILED: YES
- CAN WOOD BE GLUED: YES
- ✓ JOINT DESIGN: TONGUE & GROOVE

To Order


- 888 735 3370
- Europeanco.com


The European Wood Collection is made up of hand-selected European French Oak top layers. Our Engineered wood is available in a variety of elegant traditional patterns including Herringbone and timeless Chevron. The Engineered floors are suitable for different climates. This specific wood is made to expand and contract depending on humidity and temperature and is moisture resistant. The floors are constructed of layers including a thick European French Oak-top layer, and our multi ply core™ premium substrate suitable for use with radiant and underfloor heating systems. All of our Engineered floors are FSC Certified with UV oil finish for easy maintenance and preservation of your hardwood floors.

OPTIONS









Specs

Predominant Color: Black

Origin: Europe

VENEER: THICKNESS:

• 3MM • 5/8" • 4MM • 3/4"

FINISH: WIDTH:


•WIRE BRUSHING • 7.5" •BRAND SAWN • 8.5" • 9.5"

EDGES: • 10.5"

•BUSH HAMMERED

• SQUARE







SMOOTH, EASED EDGES*



Unfinished



INSTALLATION & MAINTENANCE


- ✓ INSTALLATION GUIDELINES AVAILABLE: REFER TO NWFA GUIDE
- CAN WOOD BE NAILED: YES
- CAN WOOD BE GLUED: YES
- ✓ JOINT DESIGN: TONGUE & GROOVE

To Order


- 888 735 3370
- Europeanco.com


The Unfinished Wood Collection is made up of hand-selected European French Oak top layers. Our Engineered wood is available in a variety of elegant traditional patterns including Herringbone and timeless Chevron. Our Engineered floors are suitable for different climates. This specific wood is made to expand and contract depending on humidity and temperature and is moisture resistant. The floors are constructed of layers including a thick European French Oak-top layer, and our multi ply core™ premium substrate suitable for use with radiant and underfloor heating systems. All of our Engineered floors are FSC Certified with UV oil finish for easy maintenance and preservation of your hardwood floors.

OPTIONS









Specs

Predominant Color: Light Brown / Neutral Tones

Origin: Europe

VENEER: THICKNESS:

• 3MM • 5/8" • 4MM • 3/4"

FINISH: WIDTH:

- •WIRE BRUSHING 7.5" •BRAND SAWN • 8.5"
 - 9.5"

EDGES: • 10.5"

- •BUSH HAMMERED
- SOUARE







SMOOTH, EASED EDGES*



Reclaimed



INSTALLATION & MAINTENANCE


- ✓ INSTALLATION GUIDELINES AVAILABLE: REFER TO NWFA GUIDE
- CAN WOOD BE NAILED: YES
- CAN WOOD BE GLUED: YES
- ✓ JOINT DESIGN: TONGUE & GROOVE

To Order


- 888 735 3370
- ## Europeanco.com


The Unfinished Wood Collection is made up of hand-selected European French Oak top layers. Our Engineered wood is available in a variety of elegant traditional patterns including Herringbone and timeless Chevron. Our Engineered floors are suitable for different climates. This specific wood is made to expand and contract depending on humidity and temperature and is moisture resistant. The floors are constructed of layers including a thick European French Oak-top layer, and our multi ply core™ premium substrate suitable for use with radiant and underfloor heating systems. All of our Engineered floors are FSC Certified with UV oil finish for easy maintenance and preservation of your hardwood floors.

OPTIONS









Specs

Predominant Color: Brown / Light Brown Tones

Origin: Europe

VENEER: THICKNESS:

• 5/8" • 3MM 4MM 3/4"

WIDTH: FINISH:

•WIRE BRUSHING • 7.5" BRAND SAWN • 8.5" • 9.5"

• 10.5" **EDGES:**

BUSH HAMMERED

SOUARE







SMOOTH, EASED EDGES*



Océan



INSTALLATION & MAINTENANCE


- ✓ INSTALLATION GUIDELINES AVAILABLE: REFER TO NWFA GUIDE
- CAN WOOD BE NAILED: YES
- CAN WOOD BE GLUED: YES
- ✓ JOINT DESIGN: TONGUE & GROOVE

To Order


- 888 735 3370
- ## Europeanco.com


The Santorini Wood Collection is made up of hand-selected European French Oak top layers. Our Engineered wood is available in a variety of elegant traditional patterns including Herringbone and timeless Chevron. Our Engineered floors are suitable for different climates. This specific wood is made to expand and contract depending on humidity and temperature and is moisture resistant. The floors are constructed of layers including a thick European French Oak-top layer, and our multi ply core™ premium substrate suitable for use with radiant and underfloor heating systems. All of our Engineered floors are FSC Certified with UV oil finish for easy maintenance and preservation of your hardwood floors.

OPTIONS









Specs

Predominant Color: Blueish-Brown / Light Brown Tones

Origin: Europe

THICKNESS: VENEER:

- 5/8" • 3MM
- 4MM 3/4"

WIDTH: **FINISH:** • 7.5"

- •HEAVY WIRE **BRUSHING**
- BRAND SAWN

EDGES:

- BUSH HAMMERED
- SQUARE







SMOOTH, EASED EDGES*



Étoile



INSTALLATION & MAINTENANCE


- ✓ INSTALLATION GUIDELINES AVAILABLE: REFER TO NWFA GUIDE
- CAN WOOD BE NAILED: YES
- CAN WOOD BE GLUED: YES
- ✓ JOINT DESIGN: TONGUE & GROOVE

To Order


- 888 735 3370
- ## Europeanco.com


The Santorini Wood Collection is made up of hand-selected European French Oak top layers. Our Engineered wood is available in a variety of elegant traditional patterns including Herringbone and timeless Chevron. Our Engineered floors are suitable for different climates. This specific wood is made to expand and contract depending on humidity and temperature and is moisture resistant. The floors are constructed of layers including a thick European French Oak-top layer, and our multi ply core™ premium substrate suitable for use with radiant and underfloor heating systems. All of our Engineered floors are FSC Certified with UV oil finish for easy maintenance and preservation of your hardwood floors.

OPTIONS









Specs

Predominant Color: Brown / Light Brown Tones

Origin: Europe

THICKNESS: VENEER:

• 5/8" • 3MM 4MM 3/4"

WIDTH: **FINISH:**

•WIRE BRUSHING • 7.5" BRAND SAWN • 8.5" •WHITE WASHED • 9.5" • 10.5"

BUSH HAMMERED

SQUARE

EDGES:







SMOOTH, EASED EDGES*



Cassis



INSTALLATION & MAINTENANCE


- ✓ INSTALLATION GUIDELINES AVAILABLE: REFER TO NWFA GUIDE
- CAN WOOD BE NAILED: YES
- CAN WOOD BE GLUED: YES
- ✓ JOINT DESIGN: TONGUE & GROOVE

To Order


- 888 735 3370
- ## Europeanco.com


The Santorini Wood Collection is made up of hand-selected European French Oak top layers. Our Engineered wood is available in a variety of elegant traditional patterns including Herringbone and timeless Chevron. Our Engineered floors are suitable for different climates. This specific wood is made to expand and contract depending on humidity and temperature and is moisture resistant. The floors are constructed of layers including a thick European French Oak-top layer, and our multi ply core™ premium substrate suitable for use with radiant and underfloor heating systems. All of our Engineered floors are FSC Certified with UV oil finish for easy maintenance and preservation of your hardwood floors.

OPTIONS









Specs

Predominant Color: Brown / Reddish-Brown Tones

Origin: Europe

VENEER: THICKNESS:

- 5/8" • 3MM
- 4MM 3/4"

WIDTH: **FINISH:**

- •HEAVY WIRE • 7.5" **BRUSHING**
- BRAND SAWN **EDGES**:
- •BUSH HAMMERED
- SQUARE







SMOOTH, EASED EDGES*



Catania



INSTALLATION & MAINTENANCE


- ✓ INSTALLATION GUIDELINES AVAILABLE: REFER TO NWFA GUIDE
- CAN WOOD BE NAILED: YES
- CAN WOOD BE GLUED: YES
- ✓ JOINT DESIGN: TONGUE & GROOVE

To Order


- 888 735 3370
- ## Europeanco.com


The Santorini Wood Collection is made up of hand-selected European French Oak top layers. Our Engineered wood is available in a variety of elegant traditional patterns including Herringbone and timeless Chevron. Our Engineered floors are suitable for different climates. This specific wood is made to expand and contract depending on humidity and temperature and is moisture resistant. The floors are constructed of layers including a thick European French Oak-top layer, and our multi ply core™ premium substrate suitable for use with radiant and underfloor heating systems. All of our Engineered floors are FSC Certified with UV oil finish for easy maintenance and preservation of your hardwood floors.

OPTIONS









Specs

Predominant Color: Medium Brown / Light Brown Tones

Origin: Europe

VENEER: THICKNESS:

- 5/8" • 3MM
- 4MM 3/4"

WIDTH: **FINISH:**

•HEAVY WIRE • 7.5" **BRUSHING**

EDGES:

•BUSH HAMMERED

BRAND SAWN

SQUARE







SMOOTH, EASED EDGES*



Lune



INSTALLATION & MAINTENANCE


- ✓ INSTALLATION GUIDELINES AVAILABLE: REFER TO NWFA GUIDE
- CAN WOOD BE NAILED: YES
- CAN WOOD BE GLUED: YES
- ✓ JOINT DESIGN: TONGUE & GROOVE


To Order


- 888 735 3370
- ## Europeanco.com


The Santorini Wood Collection is made up of hand-selected European French Oak top layers. Our Engineered wood is available in a variety of elegant traditional patterns including Herringbone and timeless Chevron. Our Engineered floors are suitable for different climates. This specific wood is made to expand and contract depending on humidity and temperature and is moisture resistant. The floors are constructed of layers including a thick European French Oak-top layer, and our multi ply core™ premium substrate suitable for use with radiant and underfloor heating systems. All of our Engineered floors are FSC Certified with UV oil finish for easy maintenance and preservation of your hardwood floors.

OPTIONS









Specs

Predominant Color: Dark Brown / Dark Neutral Brown Tones

Origin: Europe

VENEER: THICKNESS:

- 5/8" • 3MM 4MM
 - 3/4"

WIDTH: **FINISH:**

•HEAVY WIRE • 7.5" **BRUSHING** • 8.5" BRAND SAWN • 9.5"

• 10.5"

EDGES:

BUSH HAMMERED

SQUARE







SMOOTH, EASED EDGES*



Amande



INSTALLATION & MAINTENANCE


- ✓ INSTALLATION GUIDELINES AVAILABLE: REFER TO NWFA GUIDE
- CAN WOOD BE NAILED: YES
- CAN WOOD BE GLUED: YES
- ✓ JOINT DESIGN: TONGUE & GROOVE

To Order


- 888 735 3370
- ## Europeanco.com


The Santorini Wood Collection is made up of hand-selected European French Oak top layers. Our Engineered wood is available in a variety of elegant traditional patterns including Herringbone and timeless Chevron. Our Engineered floors are suitable for different climates. This specific wood is made to expand and contract depending on humidity and temperature and is moisture resistant. The floors are constructed of layers including a thick European French Oak-top layer, and our multi ply core™ premium substrate suitable for use with radiant and underfloor heating systems. All of our Engineered floors are FSC Certified with UV oil finish for easy maintenance and preservation of your hardwood floors.

OPTIONS









Specs

Predominant Color: Neutral Brown / Light Brown Tones

Origin: Europe

VENEER: THICKNESS:

- 5/8" • 3MM
- 4MM 3/4"

WIDTH: **FINISH:**

- •HEAVY WIRE • 7.5" **BRUSHING**
- BRAND SAWN

EDGES:

- •BUSH HAMMERED
- SQUARE







SMOOTH, EASED EDGES*